

## FORMAT/DESCRIPTIONS OF PRODUCT TABLES

The Product Database resides on an Oracle server located at the Department of Pesticide Regulation. The files located at this FTP site are extracts of the Oracle data, and are presented in ASCII fixed format to enable interested parties to access them using a variety of database and spreadsheet software. In addition, users may download directly via their web browser, FTP software, or set up batch jobs to automate retrieval of the files.

These files are being made available to the public to enable interested parties to download all or any part of the pesticide product information, and develop their own uses, customized queries, or reports. Organizations often request that the DPR provide copies of these files in slightly different formats, requiring DPR staff to perform time-consuming special retrievals. By presenting these files in a standard format, DPR is providing the same information in the same format to all interested parties.

**Data Modification (10/5/2006)** - "As a service to registrants, the Department of Pesticide Regulation (DPR) evaluates and registers "Master Labels." A Master Label is a pesticide product label that has been approved by the U.S. Environmental Protection Agency and DPR. However, the company does not intend to market the label for sale and use in California. Pesticide products with Master Labels, which are identified in DPR's database by the phrase "Master Label" placed in front of the product brand name and the alpha code "ML," while registered with DPR, may not be sold or used in California."

**Using the ERD** – the simple entity relationship document PDF has one table that does not accurately match the table layouts. The tables and names are correct, but the product table fields were re-arranged to enable linking to related entities. Use the ERD when looking at the following formats and data relationship descriptions.

The following document contains file structures, arranged initially by importance, then lookup tables by file name. Note that each data element is described in the data dictionary immediately following the File Structures Section.

.....

**File Name:** product.dat

**Description:** This file contains the basic information for each CA registration number such as the product name, registration status (active/canceled), formulation, approval/inactivation dates, registration type, density/specific gravity (useful for conversions to dry weight), etc. Note: PRODNO is the unique identifier that ties basic product information to the other tables whose names begin with "prod\_". Field var2\_sw has no known uses.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
MFG_FIRMNO	NUMBER	10		8	17
REG_FIRMNO	NUMBER	10		18	27
LABEL_SEQ_NO	NUMBER	5		28	32
REVISION_NO	CHAR	2		33	34
FUT_FIRMNO	NUMBER	10		35	44

Field Name	Type	Width	Dec	Start	End
PRODSTAT_IND	CHAR	1		45	45
PRODUCT_NAME	VARCHAR2	100		46	145
SHOW_REGNO	VARCHAR2	24		146	169
AER_GRND_IND	CHAR	1		170	170
AGRICCOM_SW	CHAR	1		171	171
CONFID_SW	CHAR	1		172	172
DENSITY	NUMBER	7	3	173	179
FORMULA_CD	CHAR	2		180	181
FULL_EXP_DT	DATE	11		182	192
FULL_ISS_DT	DATE	11		193	203
FUMIGANT_SW	CHAR	1		204	204
GEN_PEST_IND	CHAR	1		205	205
LASTUP_DT	DATE	11		206	216
MFG_REF_SW	CHAR	1		217	217
PROD_INAC_DT	DATE	11		218	228
REG_DT	DATE	11		229	239
REG_TYPE_IND	CHAR	1		240	240
RODENT_SW	CHAR	1		241	241
SIGNLWRD_IND	NUMBER	1		242	242
SOILAPPL_SW	CHAR	1		243	243
SPECGRAV_SW	CHAR	1		244	244
SPEC_GRAVITY	NUMBER	8	4	245	252
CONDREG_SW	CHAR	1		253	253
VAR2_SW	CHAR	1		254	254

.....

**File Name:** prod\_site.dat

**Description:** This table provides information on the product/approved sites relationship. Important fields are the SITE\_CODE, SPECUSE\_IND, SPECUSE\_NO (SLN, Sec. 18) and the post harvest and re-entry intervals for each site.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
SITE_CODE	NUMBER	6		8	13
QUALIFY_CD	NUMBER	3		14	16
SPECUSE_IND	CHAR	2		17	18
SPECUSE_NO	CHAR	6		19	24
HOMEGRDN_IND	CHAR	1		25	25
PH_INTERVAL	NUMBER	3		26	28
PH_MSMT_IND	CHAR	1		29	29
RE_INTERVAL	NUMBER	3		30	32
RE_MSMT_IND	CHAR	1		33	33
SEEDCROP_IND	CHAR	1		34	34
SITESTAT_IND	CHAR	1		35	35
SITE_INAC_DT	DATE	11		36	46
USE_EXP_DT	DATE	11		47	57
USE_ISS_DT	DATE	11		58	68

.....  
**File Name:** prod\_chem.dat

**Description:** Contains the PRODNO (unique product identifier), CHEMCODE (chemical code), and percentages of each active ingredient that is contained in the product. CHEMSTAT\_SW is not significant.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
CHEM_CODE	NUMBER	5		8	12
CHEMSTAT_SW	CHAR	1		13	13
PRODCHEM_PCT	NUMBER	9	5	14	22

**File Name:** chem\_com.dat

**Description:** This simple chemical vocabulary file contains a list of common chemical names along with their associated DPR CHEMCODE. The key field join is CHEMCODE to CHEMCODE in the above prod\_chem table.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
CHEMCODE	NUMBER	5		1	5
COMNAME	VARCHAR2	500		6	505

.....

**File Name:** compinfo.dat

**Description:** This registrant name and address file contains basic name and address information for all companies which have been assigned an EPA company number or assigned a company number for California Only registrations. (NOTE: This file contains information on many companies who may have submitted but not successfully procured a product registration in California.). The key field is FIRMNO that joins to MFG\_FIRMNO and REG\_FIRMNO in the product table. Tip: the FIRM\_NAME2 field often contains address or attention information that is critical to successful delivery.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
FIRMNO	NUMBER	10		1	10
FIRM_NAME	VARCHAR2	100		11	110
FIRM_NAME2	VARCHAR2	100		111	210
ADDRESS	VARCHAR2	50		211	260
CITY	VARCHAR2	20		261	280
STATE	CHAR	2		281	282
ZIP9	VARCHAR2	10		283	292
STATFLG	CHAR	1		293	293
ALPHASORT	NUMBER	6		294	299
CHGDATE	DATE	11		300	310

**File Name:** prod\_special\_status.dat

**Description:** This table contains product information regarding restricted use, California restricted use, conditional registrations and conditional dates. Supporting tables are product and special\_status.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
SPECSTAT_CD	CHAR	2		8	9
SPECSTAT_DT	DATE	11		10	20

.....

**File Name:** prod\_type\_pesticide.dat

**Description:** This table creates the association between product and pesticide type(s) (i.e. insecticide, herbicide, etc.). The type\_pesticide table provides the type descriptors.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
TYPEPEST_CD	CHAR	2		8	9

.....

**File Name:** prod\_appl\_method.dat

**Description:** This table creates the association between product and pesticide application methods (s) (i.e. spray, dust, broadcast, etc.). The appl\_method table provides the type descriptors.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
APPLMETH_CD	CHAR	2		8	9

.....

**File Name:** prod\_env\_hazard.dat

**Description:** This table creates the association between product and potential environmental hazard(s) (i.e. bees, groundwater, birds, etc.) The env\_hazard table provides the type descriptors.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
ENVHZRD_CD	CHAR	2		8	9

.....

**File Name:** prod\_target\_pest.dat

**Description:** This table creates the association between product and target pest(s) (i.e., grasses, rodents, broadleaf weeds, etc.). The target\_pest table provides the type descriptors.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
TARGPEST_CD	CHAR	2		8	9

.....

**File Name:** prod\_special\_inst.dat

**Description:** This table creates the association between product and special instruction statements that might appear on the product label (i.e. furrow, post-harvest, drip, etc.). The special\_inst table provides the type descriptors.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
SPECINST_CD	CHAR	2		8	9

**File Name:** prod\_health\_hazard.dat

**Description:** This table creates the association between product and potential health hazard(s) (i.e., inhalation, oral, corrosive, caused eye damage, etc.) The health\_hazard table provides the type descriptors.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODNO	NUMBER	7		1	7
HLHZRD_CD	CHAR	2		8	9

.....

**File Name:** special\_status.dat

**Description:** Lookup table supporting prod\_special\_status.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SPECSTAT_CD	CHAR	2		1	2
SPECSTAT_DSC	VARCHAR2	50		3	52

.....

**File Name:** appl\_method.dat

**Description:** Lookup table supporting prod\_appl\_method.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
APPLMETH_CD	CHAR	2		1	2
APPLMETH_DSC	VARCHAR2	50		3	52

.....

**File Name:** env\_hazard.dat

**Description:** Lookup table supporting prod\_env\_hazard.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
ENVHZRD_CD	CHAR	2		1	2
ENVHZRD_DSC	VARCHAR2	50		3	52

**File Name:** target\_pest.dat

**Description:** Lookup table provides descriptions of the pest groupings associated with products in the prod\_target\_pest table.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
TARGPEST_CD	CHAR	2		1	2
TARGPEST_DSC	VARCHAR2	50		3	52

.....

**File Name:** type\_pesticide.dat

**Description:** Lookup table provides descriptions of the pesticide types associated with products in the prod\_type\_pesticide table.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
TYPEPEST_CD	CHAR	2		1	2
TYPEPEST_CAT	VARCHAR2	50		3	52

.....

**File Name:** special\_inst.dat

**Description:** Lookup table supporting prod\_special\_inst.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SPECINST_CD	CHAR	2		1	2
SPECINST_DSC	VARCHAR2	50		3	52

.....

**File Name:** health\_hazard.dat

**Description:** Lookup table supporting prod\_health\_hazard.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
HLHZRD_CD	CHAR	2		1	2
HLHZRD_DSC	VARCHAR2	50		3	52



**File Name:** aer\_ground.dat

**Description:** Lookup table supporting product table variable aer\_grnd\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
AER_GRND_IND	CHAR	1		1	1
AER_GRND_DSC	VARCHAR2	50		2	51

.....

**File Name:** ag\_commissioner.dat

**Description:** Lookup table supporting product table variable agriccom\_sw.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
AGRICCOM_SW	CHAR	1		1	1
AGRICCOM_DSC	VARCHAR2	50		2	51

.....

**File Name:** formulation.dat

**Description:** Lookup table supporting product table variable formula\_cd.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
FORMULA_CD	CHAR	2		1	2
FORMULA_DSC	VARCHAR2	50		3	52
DRYLIQUID_SW	CHAR	1		53	53

.....

**File Name:** general\_pest.dat

**Description:** Lookup table supporting product table variable gen\_pest\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
GEN_PEST_IND	CHAR	1		1	1
GEN_PEST_DSC	VARCHAR2	50		2	51

**File Name:** product\_status.dat

**Description:** Lookup table supporting product table variable prodstat\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PRODSTAT_IND	CHAR	1		1	1
PRODSTAT_DSC	VARCHAR2	50		2	51

.....

**File Name:** registration\_type.dat

**Description:** Lookup table supporting product table variable reg\_type\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
REG_TYPE_IND	CHAR	1		1	1
REG_TYPE_DSC	VARCHAR2	50		2	51

.....

**File Name:** soil\_applied.dat

**Description:** Lookup table supporting product table variable soilappl\_sw.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SOILAPPL_SW	CHAR	1		1	1
SOILAPPL_DSC	VARCHAR2	50		2	51

.....

**File Name:** signal\_word.dat

**Description:** Lookup table supporting product table variable signlwrdd\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SIGNLWRD_IND	CHAR	1		1	1
SIGNLWRD_DSC	VARCHAR2	50		2	51

**File Name:** specific\_gravity.dat

**Description:** Lookup table supporting product table variable specgrav\_sw.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SPECGRAV_SW	CHAR	1		1	1
SPECGRAV_DSC	VARCHAR2	50		2	51

.....

**File Name:** site.dat

**Description:** Lookup table supporting prod\_site table variable site\_code. This table has a number of variables that are not actively supported, i.e. fda\_code, prefsite\_sw, site\_grp\_cat (can be used), site\_sub\_grp.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SITE_CODE	NUMBER	7		1	7
FDA_CODE	CHAR	5		8	12
PREFSITE_SW	NUMBER	1		13	13
SITEUP_DT	DATE	11		14	24
SITE_GRP_CAT	NUMBER	3		25	27
SITE_NAME	VARCHAR2	50		28	77
SITE_SUB_GRP	NUMBER	3		78	80
USED_SW	NUMBER	1		81	81

.....

**File Name:** qualify.dat

**Description:** Lookup table supporting prod\_site table variable qualify\_cd.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
QUALIFY_CD	NUMBER	3		1	3
QUALIFY_DSC	VARCHAR2	50		4	53

**File Name:** special\_use.dat

**Description:** Lookup table supporting prod\_site table variable specuse\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SPECUSE_IND	CHAR	2		1	2
SPECUSE_DSC	CHAR	50		3	52

.....

**File Name:** preharvest\_interval.dat

**Description:** Lookup table supporting prod\_site table variable ph\_msmt\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PH_MSMT_IND	CHAR	1		1	1
PH_MSMT_DSC	VARCHAR2	50		2	51

.....

**File Name:** reentry\_interval.dat

**Description:** Lookup table supporting prod\_site table variable re\_msmt\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
RE_MSMT_IND	CHAR	1		1	1
RE_MSMT_DSC	VARCHAR2	50		2	51

.....

**File Name:** site\_status.dat

**Description:** Lookup table supporting prod\_site table variable sitestat\_ind.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SITESTAT_IND	CHAR	1		1	1
SITESTAT_DSC	VARCHAR2	50		2	51

**File Name:** site\_preference.dat

**Description:** Lookup table supporting site table variable prefsite\_sw.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
PREFSITE_SW	CHAR	1		1	1
PREFSITE_DSC	VARCHAR2	50		2	51

.....

**File Name:** site\_group\_category.dat

**Description:** Lookup table supporting site table variable site\_grp\_cat.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SITE_GRP_CAT	NUMBER	3		1	3
SITE_GRP_DSC	VARCHAR2	50		3	52

.....

**File Name:** site\_sub\_group.dat

**Description:** Lookup table supporting site table variable site\_sub\_grp.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
SITE_SUB_GRP	NUMBER	3		1	3
SITE_SUB_DSC	VARCHAR2	50		3	52

.....

**File Name:** site\_used.dat

**Description:** Lookup table supporting site table variable used\_sw.

**File Structure:**

Field Name	Type	Width	Dec	Start	End
USED_SW	NUMBER	1		1	1
USED_DSC	VARCHAR2	50		2	51